

TECHNOLOGY Auto-Peak® Tensioner **Reinforced Fabric Top Corners** Ensures Proper Top Fit and Form Greater Durability and Longer Lasting Performance Truss Muscle Increased Frame Joint Strength and Longevity **High-Strength End Caps** Heavy-Duty for Greater Durability 10' x 10' **Bolt-On Top** Secures Top to Frame Adding Support **E-Z Glide Truss Washers** Provide Low Friction for Smooth Set Up **Auto-Slider® Pull Pin Toggle Leg Adjusters** Pull Pin Grooved for Comfortable Toggle Grip with Quick Lock and Release 5 Height Adjustment Options at 3" Intervals

All Eclipse™ Products Include the Following Features:

TOP FABRIC

FIRE CERTIFICATION

Professional Grade Fabric

Meets B1, CPAI-84, NFPA-70 and CAN/ULC-S109 Fire-Resistant Requirements

PRODUCT INCLUDES

CUSTOM PRINTING OPTIONS WARRANTY

Fabric Top, Folding Frame, and Cover Bag

Custom Graphics Available

7 Years









MIX AND MATCH

Customize your Eclipse™ shelter to suit your style with a custom color top or custom-printed graphics! Whichever direction you go, your Eclipse™ shelter is UP for Everything™.

FRAME COLORS







Clear Aluminum

Matte Black

PREMIUM CUSTOM TOP COLORS

White

STANDARD TOP COLORS



Black



Red



Royal


Blue



Steel

Gray











Forest

Green

Splash



Gold



Grape

Yellow

Limeade

Kelly

Green

Blue



Steel

Orange



RECOMMENDED USES

- Trade Shows
- Corporate Events
- Exhibit Booth
- Event Marketing
- Rental Industry
- Sponsorship Advertising
- Business and Civic Events
- Product Demonstrations
- Indoor and Outdoor Display
- Automotive and Racing Events

OPTIONAL ACCESSORIES

- Custom Printing
- Event Lights
- Deluxe Weight Bags
- Heavy-Duty Stake Kit
- Sidewalls and Railskirts
- Deluxe Wide-Trax[™] Roller Bag
- ProFLAG™ Products and Banners
- Tables and Table Covers
- Directors Chairs



ECLIPSETM 8' X 8' (2.5 M X 2.5 M)

SIZE (AT BASE)

White Steel Frame Only

SHADED AREA STEEL FRAME SHIPPING WEIGHT

> **ALUMINIUM FRAME SHIPPING WEIGHT**

64 sq ft (5.9 sq m) 51 lbs. (23.1 kg)

Not Available

TOP SHIPPING WEIGHT

TOP BOX DIMENSIONS

STEEL FRAME BOX DIMENSIONS

MAXIMUM PEAK HEIGHT MAXIMUM HEADROOM

> **MAXIMUM VALANCE CLEARANCE HEIGHT**

8 lbs. (3.6 kg)

27" L x 15" W x 4" H (69 cm x 38 cm x 10 cm)

55" L x 10" W x 10" H $(1.4 \text{ m} \times 25 \text{ cm} \times 25 \text{ cm})$

10' (3 m)

6' 7" (2 m)

6' (1.8 m)



Available in 4 Different Sizes All with **7** Year Warranty.



SIZES



SHADED AREA

STEEL FRAME SHIPPING WEIGHT

ALUMINIUM FRAME SHIPPING WEIGHT

100 sq ft (9.3 sq m)

61 lbs. (27.7 kg)

52 lbs. (23.6 kg)

ECLIPSE™ 10' X 10' (3 M X 3 M)

SIZE (AT BASE)

TOP SHIPPING WEIGHT

TOP BOX

DIMENSIONS

 $27'' L \times 15'' W \times 4'' H$ (69 cm x 38 cm x 10 cm)

STEEL/ALUMINIUM FRAME BOX DIMENSIONS

66" L x 10" W x 10" H (1.7 m x 25 cm x 25 cm)

MAXIMUM PEAK HEIGHT

MAXIMUM HEADROOM

11' 2" (3.4 m) 7' 1" (2.2 m)

12 lbs. (5.4 kg)

MAXIMUM VALANCE CLEARANCE HEIGHT

6' 9" (2.1 m)



SHADED AREA

STEEL FRAME SHIPPING WEIGHT

ALUMINIUM FRAME SHIPPING WEIGHT

150 sq ft (13.9 sq m)

77 lbs. (35 kg)

Not Available

ECLIPSE™ 10' X 15' (3 M X 4.5 M)

SIZE (AT BASE)

TOP SHIPPING WEIGHT

TOP BOX DIMENSIONS

STEEL FRAME

BOX DIMENSIONS

MAXIMUM PEAK HEIGHT

MAXIMUM HEADROOM

MAXIMUM VALANCE CLEARANCE HEIGHT

18 lbs. (8.2 kg)

27" L x 15" W x 5" H (69 cm x 38 cm x 13 cm)

66" L x 12" W x 10" H (1.7 m x 30 cm x 25 cm)

11' (3.4 m)

6' 10" (2.1 m)

6' 7" (2 m)



SHADED AREA

STEEL FRAME SHIPPING WEIGHT

ALUMINIUM FRAME SHIPPING WEIGHT

200 sq ft (18.6 sq. m)

116 lbs. (52.6 kg)

92 lbs. (41.7 kg)

ECLIPSE™ 10' X 20' (3 M X 6 M)

SIZE (AT BASE)

TOP SHIPPING WEIGHT

TOP BOX

DIMENSIONS

STEEL/ALUMINIUM FRAME BOX DIMENSIONS

MAXIMUM PEAK HEIGHT

MAXIMUM HEADROOM

MAXIMUM VALANCE CLEARANCE HEIGHT

22 lbs. (10 kg)

27" L x 15" W x 5" H (69 cm x 38 cm x 13 cm)

66" L x 12" W x 10" H (1.7 m x 30 cm x 25 cm)

11' 5" (3.5 m)

7' 3" (2.2 m)

/ 3 (2.2 111)

6' 9" (2.1 m)



International E-Z UP, Inc.

Ringveste 7 3992 DD Houten The Netherlands TEL • +31(0) 30 635 41 00 FAX • +31(0) 30 634 17 67 euinfo@ezup.com